North, South East and West of Scotland Cancer Networks

Sarcoma National Managed Clinical Network



1

Bone Sarcoma

Quick guide for TNM 8

Prepared by	Prof Donald Salter
Approved by	SSN, NMSN and SPAN
Issue date	May 2019
Review date	April 2022
Version	1.0

North, South East and West of Scotland Cancer Networks Final – Published TNM 8 quick guide for Bone Sarcoma V1.0 26th April 2019

Appendicular skeleton, trunk, skull and facial bones

T – Primary Tumour

- T0 No evidence of primary tumour
- T1 Tumour 8 cm or less in greatest dimension
- T2 Tumour more than 8 cm in greatest dimension
- T3 Discontinuous tumours in the primary bone site

N – Regional Lymph Nodes

N0 – No regional lymph node metastasis

N1 – Regional lymph node metastasis

M – Distant Metastasis

M0 – No distant metastasis

M1 – Distant metastasis

M1a – Lung

M1b – Bone or other distant sites

G – Histologic Grade

G1 – Well differentiated, low grade

G2 – Moderately differentiated, high grade

G3 – Poorly differentiated, high grade

Stage Grouping

Stage IA	T1	NO	MO	G1	
Stage IB	T2 or T3	NO	MO	G1	
Stage IIA	T1	NO	MO	G2 or G3	
Stage IIB	T2	NO	MO	G2 or G3	
Stage III	T3	NO	MO	G2 or G3	
Stage IVA	Any T	NO	M1a	Any Grade	
Stage IVB	Any T	N1	Any M	Any Grade	
	Any T	Any N	M1b	Any Grade	

Spine

T – Primary Tumour

T0 – No evidence of primary tumour

- T1 Tumour confined to one vertebral segment or two adjacent vertebral segments
- T2 Tumour confined to three adjacent vertebral segments
- T3 Tumour confined to four or more adjacent vertebral segments, or any nonadjacent vertebral segments
- T4 Extension into the spinal canal or great vessels

T4a – Extension into the spinal canal

T4b – Evidence of gross vascular invasion or tumour thrombus in the great vessels

N – Regional Lymph Nodes

N0 – No regional lymph node metastasis

N1 – Regional lymph node metastasis

M – Distant Metastasis

M0 – No distant metastasis

M1 – Distant metastasis

M1a – Lung

M1b – Bone or other distant sites

Pelvis

T – Primary Tumour

- T0 No evidence of primary tumour
- T1 Tumour confined to one pelvic segment with no extraosseous extension
 - T1a Tumour 8 cm or less in greatest dimension
 - T1b Tumour more than 8 cm in greatest dimension
- T2 Tumour confined to one pelvic segment with extraosseous extension or two segments without extraosseous extension
 - T2a Tumour 8 cm or less in greatest dimension
 - T2b Tumour more than 8 cm in greatest dimension
- T3 Tumour spanning two pelvic segments with extraosseous extension
 - T3a Tumour 8 cm or less in greatest dimension
 - T3b Tumour more than 8 cm in greatest dimension
- T4 Tumour spanning three pelvic segments or crossing the sacroiliac joint
 - T4a Tumour involves sacroiliac joint and extends medial to the sacral neuroforamen
 - T4b Tumour encasement of external iliac vessels or presence of gross tumour thrombus in major pelvic vessels

N – Regional Lymph Nodes

- N0 No regional lymph node metastasis
- N1 Regional lymph node metastasis

M – Distant Metastasis

- M0 No distant metastasis
- M1 Distant metastasis
 - M1a Lung
 - M1b Bone or other distant sites